

Dial g DataStar

[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[search
page](#)

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of the page. To view one particular document click the link above the title to display immediately.

[next titles](#)

Documents 1 to 20 of 50 from your search "**color\$4 AND threshold\$4 SAME variance\$3**" in all the available information:

Number of titles selected from other pages: 0

☐ **Select All**☐ 1 [display full document](#)

2006. (INZZ) Speech enhancement using a masking **threshold** constrained Kalman filter and its heuristic implementations.

☐ 2 [display full document](#)

2006. (INZZ) Speech enhancement using a masking **threshold** constrained Kalman filter and its heuristic implementations.

☐ 3 [display full document](#)

2005. (INZZ) Thermal activation by power-limited coloured noise.

☐ 4 [display full document](#)

2005. (INZZ) Frequency estimation from multiple lags of correlations in the presence of MA **colored** noise.

☐ 5 [display full document](#)

2005. (INZZ) Orientation selectivity in luminance and **color** vision assessed using 2-d band-pass filtered spatial noise.

☐ 6 [display full document](#)

2004. (INZZ) **Color** image compression using FHCBC.

☐ 7 [display full document](#)

2005. (INZZ) Motion-compensated residue preprocessing in video coding based on just-noticeable-distortion profile.

☐ 8 [display full document](#)

2004. (INZZ) Frequency and time domain auditory masking **threshold** constrained Kalman filter for speech enhancement.

☐ 9 [display full document](#)

2004. (INZZ) Face search by neural network based skin **color threshold** method.

☐ 10 [display full document](#)

2004. (INZZ) Feature extraction for face detection and recognition.

☐ 11 [display full document](#)

2003. (INZZ) A statistical error analysis for voxel **coloring**.

☐ 12 [display full document](#)

2002. (INZZ) A new face detection method using combined features of **color** and edge under the illumination **variance**.

☐ 13 [display full document](#)

2002. (INZZ) Three dimensional quantitative evaluation of asymmetry in facial expressions.

☐ 14 [display full document](#)

2002. (INZZ) **Sediment-color** record from the Northeast Atlantic reveals patterns of millennial-scale climate variability during the past 500,000 years.

☐ 15 [display full document](#)

2002. (INZZ) **Color** debris image automatic segmentation under Fisher evaluation criterion.

☐ 16 [display full document](#)

2002. (INZZ) Extraction of the characteristic points for motion detection by using **color** information.

☐ 17 [display full document](#)

2001. (INZZ) Fast **thresholding** computation by searching for zero derivatives of image between-class **variance**.

☐ 18 [display full document](#)

2001. (INZZ) A new method of **variance** estimation based on wavelet packet de- noising.

☐ 19 [display full document](#)

2001. (INZZ) Mapping the interstellar dust with near-infrared observations: an optimized multi-band technique.

☐ 20 [display full document](#)

2001. (INZZ) Frozen development in graph **coloring**.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving
<input checked="" type="radio"/> from this page <input type="radio"/> from all pages	<input checked="" type="radio"/> Full <input type="radio"/> Free <input type="radio"/> Short <input type="radio"/> Medium <input type="radio"/> Custom Help with Formats	<input checked="" type="radio"/> HTML <input type="radio"/> Tagged (for tables) <input type="radio"/> PDF <input type="radio"/> RTF <input type="radio"/> XML	Copies you will redistribute: <input type="text"/> Employees who will access archived record (s): <input type="text"/> Help with ERA
Sort your entire search result by <input type="text" value="Publication year"/> <input checked="" type="checkbox"/> Ascending			

[next titles](#)

[Top - News & FAQs - Dialog](#)

© **2006** Dialog

Dial g DataStar

[options](#)
[logout](#)
[feedback](#)
[help](#)

[databases](#)
[search page](#)

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom page. To view one particular document click the link above the title to display immediately.

[previous titles](#)
[next titles](#)

Documents 21 to 40 of 50 from your search "**color\$4 AND threshold\$4 SAME variance\$3**" in all the available information:

Number of titles selected from other pages: 0

☐ **Select All**
☐ 21 [display full document](#)

2001. (INZZ) **Color** eigenflows: statistical modeling of joint **color** changes.

☐ 22 [display full document](#)

2000. (INZZ) Contrast-detail characteristic evaluations of several display devices.

☐ 23 [display full document](#)

2001. (INZZ) Filterbank optimization with convex objectives and the optimality of principal component forms.

☐ 24 [display full document](#)

2000. (INZZ) Wavelet domain de-noising of time-courses in MR image sequences.

☐ 25 [display full document](#)

2000. (INZZ) Nonlinear stochastic resonance: The saga of anomalous output-input gain.

☐ 26 [display full document](#)

2000. (INZZ) Fractal **color** image compression.

☐ 27 [display full document](#)

2000. (INZZ) Homogeneous, isotropic flow in grid generated turbulence.

☐ 28 [display full document](#)

2000. (INZZ) Wavelet-based approach to adaptive Wiener filtering of images in the presence of **colored** noise.

☐ 29 [display full document](#)

2000. (INZZ) Method of face locating and tracking based on chromatic coordinates transformation of **color** images.

☐ 30 [display full document](#)

1999. (INZZ) A large eddy simulation model with explicit microphysics: Validation against aircraft observations of a stratocumulus-topped boundary layer.

☐ 31 [display full document](#)

1999. (INZZ) Performance analysis of cyclic statistics for the estimation of harmonics in multiplicative and additive noise.

- ☐ 32 [display full document](#)
1998. (INZZ) Optimal **thresholding** for **color** images.
- ☐ 33 [display full document](#)
1998. (INZZ) Automatic detection of nuclei regions from HE-stained breast tumor images using artificial organisms.
- ☐ 34 [display full document](#)
1995. (INZZ) Circular histogram **thresholding** for **color** image segmentation.
- ☐ 35 [display full document](#)
1997. (INZZ) Mechanisms underlying segmentation of **colored** textures.
- ☐ 36 [display full document](#)
1996. (INZZ) Block truncation coding for **color** images using vector quantization.
- ☐ 37 [display full document](#)
1996. (INZZ) A new technique for the detection of periodic signals in "**colored**" power spectra.
- ☐ 38 [display full document](#)
1996. (INZZ) Improved estimation of low velocities in **color** Doppler imaging by adapting the mean frequency estimator to the clutter rejection filter.
- ☐ 39 [display full document](#)
1994. (INZZ) Text segmentation in mixed-mode images.
- ☐ 40 [display full document](#)
1994. (INZZ) Gray-scale and **color** machine vision systems for seedling detection.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving
<input checked="" type="radio"/> from this page <input type="radio"/> from all pages	<input checked="" type="radio"/> Full <input type="radio"/> Free <input type="radio"/> Short <input type="radio"/> Medium <input type="radio"/> Custom Help with Formats	<input checked="" type="radio"/> HTML <input type="radio"/> Tagged (for tables) <input type="radio"/> PDF <input type="radio"/> RTF <input type="radio"/> XML	Copies you will redistribute: <input type="text"/> Employees who will access archived record (s): <input type="text"/> Help with ERA
<div> Sort your entire search result by <div> <div>Publication year</div> <div></div> </div> <div>Ascending</div> </div>			

[previous titles](#)
[next titles](#)
[Top - News & FAQs - Dialog](#)

© 2006 Dialog

Dial g DataStar

options

logout

feedback

help



databases

search
page

titles

Document

Select the documents you wish to save or order by clicking the box next to the document, or click the link above the document to order directly.

save

locally as: PDF document



search strategy: do not include the search strategy

previous
documentsnext
documents

order

USPTO Full Text Retrieval Options

☒ document 32 of 50 [Order Document](#)

Inspec - 1898 to date (INZZ)

Accession number & update

0006048854 20051201.

Title

Optimal **thresholding** for **color** images.

Conference information

Nonlinear Image Processing IX, San Jose, CA, USA, 26-27 Jan. 1998.

Sponsor(s): SPIE; Soc. Imaging Sci. & Technol.

Source

Proceedings of the SPIE - The International Society for Optical Engineering, {Proc-SPIE-Int-Soc-Opt-Eng-USA}, 1998, vol. 3304, p. 250-9, 7 refs, CODEN: PSISDG, ISSN: 0277-786X.

Publisher: SPIE-Int. Soc. Opt. Eng. USA.

Author(s)

[Celenk-M](#), [Uijt-de-Haag-M](#).

Author affiliation

Celenk, M., Uijt de Haag, M., Sch. of Electr. Eng. & Comput. Sci., Ohio Univ., Athens, OH, USA.

Abstract

Color image **thresholding** is a special case of **color** clustering which is commonly used for tasks such as object detection, region segmentation, enhancement, and target tracking. As compared to the three-dimensional (3-D) **color** clustering, **thresholding** is computationally more efficient for computer implementation and pipelined hardware realization. Traditionally, this method operates on a particular **color** component whose distribution possesses more prominent peaks than the other two **color** histograms. In this operation, it is expected that the histogram peaks represent meaningful object areas. However, the **color** component **thresholding** results are less reliable than those of 3-D clustering because the valuable information in the other two **color** components are ignored in the region acceptance process. To improve the performance of **thresholding**, we describe a method that **thresholds** an input image three times on three different **color** components independently. The best **thresholds** are selected by optimizing the within-group **variance** or directed divergence measure for red, green, and blue distributions separately. The resultant three binary images are combined by means of a predicate logic function that makes use of a 3-input, 1-output majority logic gate. This enables 1-D **thresholding** mechanism to incorporate the information on all the **color** components in region acceptance process.

Descriptors

☐ IMAGE-CLASSIFICATION; ☐ IMAGE-COLOUR-ANALYSIS; ☐ IMAGE-ENHANCEMENT;
☐ IMAGE-SEGMENTATION; ☐ IMAGE-TEXTURE; ☐ MAJORITY-LOGIC; ☐ OBJECT-DETECTION;

 OPTIMISATION;  TARGET-TRACKING.

Classification codes

B6140C Optical-information-image-and-video-signal-processing*;
B0260 Optimisation-techniques;
C1250 Pattern-recognition*;
C1180 Optimisation-techniques.

Keywords

optimal-thresholding; color-image-thresholding; color-clustering; object-detection; region-segmentation; image-enhancement; target-tracking; **3D-color-clustering;** pipelined-hardware; distribution-possesses; **color-histograms; color-component-thresholding;** input-image; directed-divergence-measure; **within-group-variance-** optimisation; binary-images; logic-function; majority-logic-gate; textured-image.

Treatment codes

T Theoretical-or-mathematical;
X Experimental.

Language

English.

Publication type

Conference-proceedings; Journal-paper.

Availability

SICI: 0277-786X(1998)3304L:250:OTCI; 1-#.
CCCC: 0277-786X/98/\$10.00.

Publication year

1998.

Publication date

19980000.

Edition

1998041.


Copyright statement

Copyright 1998 IEE.

COPYRIGHT BY The IET, Stevenage, UK

save

locally as: PDF document 

search strategy: do not include the search strategy 

previous
documents

next
documents

order

Top - News & FAQs - Dialog

© 2006 Dialog

Dial g DataStar

[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[search
page](#)

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom page. To view one particular document click the link above the title to display immediately.

Documents 1 to 13 of 13 from your search "**color\$4 AND threshold\$4 AND standard WITH deviation**" in all the available information:

Number of titles selected from other pages: 0

☐ **Select All**☐ 1 [display full document](#)

2005. (INZZ) Real-time colour Doppler imaging for HIFU therapy guidance.

☐ 2 [display full document](#)

2003. (INZZ) Adaptive **color** document image binarization for text retrieval.

☐ 3 [display full document](#)

2002. (INZZ) Impact of windowing and subsampling algorithms on acoustic scattering strength databases.

☐ 4 [display full document](#)

2003. (INZZ) A fast and reliable technique for muscle activity detection from surface EMG signals.

☐ 5 [display full document](#)

2002. (INZZ) Automatic fabric inspection by machine vision, applying simple algorithms.

☐ 6 [display full document](#)

2000. (INZZ) Homogeneous, isotropic flow in grid generated turbulence.

☐ 7 [display full document](#)

1998. (INZZ) Effects of a microbubble contrast agent on breast tumors: computer- assisted quantitative assessment with **color** Doppler US-early experience.

☐ 8 [display full document](#)

1997. (INZZ) Snowmelt on the Greenland ice sheet as derived from passive microwave satellite data.

☐ 9 [display full document](#)

1996. (INZZ) A comprehensive appraisal of /sup 241/Am in soils around Rocky Flats, **Colorado**.

☐ 10 [display full document](#)

1995. (INZZ) Comprehensive appraisal of /sup 239+240/Pu in soils around Rocky Flats, **Colorado**.

☐ 11 [display full document](#)

1991. (INZZ) Spatial sub-band coding of video **color** component for TV signal coding at 15 Mbit/s with high quality criterion.

☐ 12 [display full document](#)

1991. (INZZ) Vernier acuity: effects of chromatic content, blur and contrast.

☐ 13 [display full document](#)

1983. (INZZ) High resolution image registration by **thresholded** difference.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving
<input checked="" type="radio"/> from this page <input type="radio"/> from all pages	<input checked="" type="radio"/> Full <input type="radio"/> Free <input type="radio"/> Short <input type="radio"/> Medium <input type="radio"/> Custom Help with Formats	<input checked="" type="radio"/> HTML <input type="radio"/> Tagged (for tables) <input type="radio"/> PDF <input type="radio"/> RTF <input type="radio"/> XML	Copies you will redistribute: <input type="text"/> Employees who will access archived record (s): <input type="text"/> Help with ERA
Sort your entire search result by <input type="text" value="Publication year"/> <input checked="" type="checkbox"/> Ascending <input type="button" value=""/>			

Top - News & FAQs - Dialog

© 2006 Dialog

Dialing DataStar

[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[search
page](#)[titles](#)

Document

Select the documents you wish to [save](#) or [order](#) by clicking the box next to the document, or click the link above the document to order directly.

[save](#)locally as: [PDF document](#)search strategy: [do not include the search strategy](#)[previous
documents](#)[order](#)

USPTO Full Text Retrieval Options

☒ **document 13 of 13** [Order Document](#)**Inspec - 1898 to date (INZZ)****Accession number & update**

0002094687 20051201.

TitleHigh resolution image registration by **thresholded** difference.**Conference information**

Applications of Digital Image Processing IV, San Diego, CA, USA, 24-27 Aug. 1982.

Source

Proceedings of the SPIE - The International Society for Optical Engineering, {Proc-SPIE-Int-Soc-Opt-Eng-USA}, 1983, vol. 359, p. 178-85, 12 refs, CODEN: PSISDG, ISSN: 0277-786X, USA.

Author(s)[Pinson-L-J.](#)**Author affiliation**Pinson, L.J., Dept. of Electrical Engng. & Computer Sci., Univ. of **Colorado**, **Colorado** Springs, CO, USA.**Abstract**

The accuracy of image registration methods is dependent on peak sharpness which is dependent on scene content. As a result of characterizing joint scene content in terms of the joint probability density function, a new registration metric is defined as the **thresholded** difference (TD) method. It produces a sharper correlation peak than either the direct cross-correlation or mean absolute difference methods. Analytical comparisons and simulations are presented which show the TD method to exhibit less dependence on scene content than other pixel-by-pixel registration metrics. The method is easily normalized by a simple rescaling of both images to the same range of gray levels. The **thresholded** difference registration metric is evaluated in terms of registering images which are incompatible due to additive noise, different spectral bands, temporal variations and scale differences. Simulation results show the TD method to be as good or better than other pixel-by-pixel correlation methods. An optimum **threshold** of half the image difference **standard deviation** at registration is indicated by simulation results. The TD method offers promise for enhanced registration accuracy for noncompatible images.

Descriptors [PICTURE-PROCESSING.](#)**Classification codes**[B6140C](#) [Optical-information-image-and-video-signal-processing*](#).**Keywords**image-registration; **thresholded-difference**; peak-sharpness; scene-content; joint-probability-

density-function; **thresholded-difference**; direct-cross-correlation; mean-absolute-difference; pixel-by-pixel-registration-metrics; rescaling; gray-levels; additive-noise; spectral-bands; temporal-variations; scale-differences; **standard-deviation**; noncompatible-images.

Treatment codes

I Theoretical-or-mathematical.

Language

English.

Publication type

Conference-proceedings; Journal-paper.

Publication year

1983.

Publication date

19830000.

Edition

1983009.

Copyright statement

Copyright 1983 IEE.

COPYRIGHT BY The IET, Stevenage, UK

save

locally as:

PDF document



search strategy:

do not include the search strategy



previous
documents

order

Top - News & FAQs - Dialog

© 2006 Dialog